

# 2024 全日本選手権大会 男子

## In 稲沢グランドボウル




2024.07.27 Created by CDC



Oil Pattern Distance	44	Reverse Brush Drop	44	Oil Per Board	Multi ul
Forward Oil Total	18.05 mL	Reverse Oil Total	11.45 mL	Volume Oil Total	29.5 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	50	14	3	A	111	0.0	3.9	3.9	5550
2	4L	4R	2	50	14	3	A	66	3.9	7.8	3.9	3300
3	6L	6R	2	50	18	3	A	58	7.8	12.9	5.1	2900
4	8L	8R	2	50	18	3	A	50	12.9	18.0	5.1	2500
5	10L	10R	2	50	18	3	A	42	18.0	23.1	5.1	2100
6	12L	12R	2	50	22	3	A	34	23.1	29.3	6.2	1700
7	2L	2R	0	50	22	3	A	0	29.3	44.0	14.7	0


	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	22	3	A	0	44.0	35.0	-9.0	0
2	15L	15R	3	50	22	3	A	33	35.0	25.7	-9.3	1650
3	12L	12R	2	50	22	3	A	34	25.7	19.5	-6.2	1700
4	10L	10R	3	50	22	3	A	63	19.5	10.2	-9.3	3150
5	5L	5R	2	50	22	3	A	62	10.2	4.0	-6.2	3100
6	2L	2R	1	50	18	3	A	37	4.0	1.5	-2.5	1850
7	2L	2R	0	50	14	3	A	0	1.5	0.0	-1.5	0



Cleaner Ratio Main Mix                    NA        Forward  
 Cleaner Ratio Back End Mix            NA        Reverse  
 Cleaner Ratio Back End Distance      NA        Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L 10L-10R	8L-12L 10L-10R	13L-17L 10L-10R	18L-18R 17R-13R	10L-10R 12R-8R	18L-18R 7R-3R
Description	Outside/Middle	Middle/Middle	Inside/Middle	Middle/Inside	Middle/Middle	Middle/Outside
Track Zone Ratio	3.16	1.52	1.05	1.05	1.52	3.16



# 2024 全日本選手権大会 女子

## In 稲沢グランドボウル




2024.07.27 Created by CDC



Oil Pattern Distance	42	Reverse Brush Drop	42	Oil Per Board	Multi ul
Forward Oil Total	17.2 mL	Reverse Oil Total	10.2 mL	Volume Oil Total	27.4 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	50	18	3	A	74	0.0	2.5	2.5	3700
2	4L	4R	1	50	18	3	A	33	2.5	5.0	2.5	1650
3	7L	7R	2	50	18	3	A	54	5.0	10.1	5.1	2700
4	9L	9R	3	50	18	3	A	69	10.1	17.7	7.6	3450
5	10L	10R	3	50	18	3	A	63	17.7	25.3	7.6	3150
6	12L	12R	3	50	18	3	A	51	25.3	32.9	7.6	2550
7	2L	2R	0	50	22	3	A	0	32.9	42.0	9.1	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	22	3	A	0	42.0	35.0	-7.0	0
2	15L	15R	3	50	22	3	A	33	35.0	25.7	-9.3	1650
3	12L	12R	2	50	22	3	A	34	25.7	19.5	-6.2	1700
4	10L	10R	2	50	22	3	A	42	19.5	13.3	-6.2	2100
5	7L	7R	1	50	22	3	A	27	13.3	10.2	-3.1	1350
6	5L	5R	1	50	18	3	A	31	10.2	7.7	-2.5	1550
7	2L	2R	1	50	18	3	A	37	7.7	5.2	-2.5	1850
8	2L	2R	0	50	14	3	A	0	5.2	0.0	-5.2	0



Cleaner Ratio Main Mix                    NA      Forward  
 Cleaner Ratio Back End Mix            NA      Reverse  
 Cleaner Ratio Back End Distance      NA      Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L 10L-10R	8L-12L 10L-10R	13L-17L 10L-10R	18L-18R 17R-15R	18L-18R 12R-9R	18L-18R 7R-3R
Description	Outside/Middle	Middle/Middle	Inside/Middle	Middle/Inside	Middle/Middle	Middle/Outside
Track Zone Ratio	4.8	1.67	1.05	1.05	1.67	4.8

